


# EasyGauge

Sub-pixel measurement & dimension control library



#### At a Glance

- Sub-pixel point location and edge fitting
- Highly accurate and robust
- Advanced and automatic calibration
- Multiple gauge models
- · Measurement of position, orientation, size, curvature, distance
- Interaction through graphical interface

## **Benefits**

# Open eVision Studio: Evaluation, prototyping and development tool

Open eVision Studio is the evaluation, prototyping and development tool of Open eVision. Its intuitive graphical user interface allows you to call and immediately see the result of any of eVision's 2D image processing functions. A scripting functionality generates the corresponding code, which can then be copied and pasted into your application.

Open eVision Studio is free (when using Open eVision 2.0 and above) and does not require any license.

Just click on DOWNLOAD OPEN EVISION STUDIO and install Open eVision. Sample images, manuals and sample programs are included.

# **EasyGauge Description**

EasyGauge is a cutting-edge measurement and dimension control library for use in gauging and metrology applications.

By relying on proven sub-pixel edge detection and shape fitting algorithms, it allows determining the dimension, position, curvature, size, angle or diameter of manufactured parts with an excellent accuracy.

Robustness is ensured by powerful edge-point selection mechanisms that are intuitive and easy to tune, allowing measurement in cluttered images.

In addition, EasyGauge also supports the automatic measurement of parallel sides, thus providing means of measuring the thickness of flat or bent objects, as well as the precise location of corners.

#### **Advanced and Automatic Calibration**

EasyGauge features advanced built-in calibration capabilities to transparently convert pixel measurements to physical units; this relieves the user of the need to convert coordinates. Non-square pixels and rotated coordinate axis are supported. EasyGauge also provides means to determine and correct perspective and optical distortion, with no performance loss.

## **Gauge Grouping**

EasyGauge supports grouping of the measurement gauges and lets these groups track the measured items in the image. These can freely translate and/or rotate while the probes are repositioned accordingly. Derived measurements such as distances between feature points can then be computed.

# Choose the most suitable Licensing System

- Open eVision Dongle-based Licenses: Dongle-based Licenses offer the flexibility to be transferred from a PC to another. To purchase a Dongle-based License, select one of the Euresys dongles (USB or Parallel) plus the license(s) to be stored on this dongle. Licenses are delivered as activation codes, which are stored on the dongles.
- Open eVision Software-based Licenses: Software-based licenses do not require any dongle, they are linked to the PC on which they have been activated. Licenses are delivered as activation codes and can be managed online.

# **Applications**

# Machine Vision for the Electronic Manufacturing Industry

- Lead inspection
- LED inspection

# **Machine Vision for the General Manufacturing Industries**

- · Checking dimensional accuracy
- · Assembly inspection

# **Specifications**

# **Software**

| Host PC  | Operating | System  |
|----------|-----------|---------|
| 110361 C | Operating | Jystein |

- Open eVision is a set of 32-bit and 64-bit libraries that require a processor compatible with the SSE2 instruction set.
- Deep Learning Bundle is only available in the 64-bit Open eVision library.
- Open eVision can be used on the following operating systems:
  - Windows 10 (32- and 64-bits)
  - Windows 8 (32- and 64-bits)
  - Windows 7 (32- and 64-bits)
- Since Open eVision 2.6, discontinued support of:
  - Windows Vista 32-bits Service Pack 1
  - Windows XP 32-bits Service Pack 3
  - Windows Embedded Standard 2009 32-bits
- The Open eVision installer does not allow installation on virtual machines.
- Minimum requirements:
  - RAM: 8 GB
  - Display size: 800 x 600. 1280 x 1024 recommended.
  - Color depth: 16 bits. 32 bits recommended.
  - Between 100 MB and 2 GB free hard disk space for libraries, depending on selected options.

| APIs                       | Supported Integrated Development Environments and Programming Languages:                     |  |
|----------------------------|----------------------------------------------------------------------------------------------|--|
|                            | <ul> <li>Microsoft Visual Studio 2008<sup>®</sup> SP1 (C++, C#, VB .NET, C++/CLI)</li> </ul> |  |
|                            | <ul> <li>Microsoft Visual Studio 2010<sup>®</sup> (C++, C#, VB .NET, C++/CLI)</li> </ul>     |  |
|                            | <ul> <li>Microsoft Visual Studio 2012<sup>®</sup> (C++, C#, VB .NET, C++/CLI)</li> </ul>     |  |
|                            | <ul> <li>Microsoft Visual Studio 2013® (C++, C#, VB .NET, C++/CLI)</li> </ul>                |  |
|                            | <ul> <li>Microsoft Visual Studio 2015<sup>®</sup> (C++, C#, VB .NET, C++/CLI)</li> </ul>     |  |
|                            | <ul> <li>Microsoft Visual Studio 2017<sup>®</sup> (C++, C#, VB .NET, C++/CLI)</li> </ul>     |  |
|                            | <ul> <li>Since Open eVision 2.5.1, discontinued support of:</li> </ul>                       |  |
|                            | <ul><li>Borland C++ Builder 6.0 update 4 (C++)</li></ul>                                     |  |
|                            | <ul><li>CodeGear Delphi 2009 (Object Pascal)</li></ul>                                       |  |
|                            | <ul><li>CodeGear C++ Builder 2009 (C++)</li></ul>                                            |  |
|                            | <ul><li>Microsoft Visual Studio 6.0 SP6 (C++, Basic)</li></ul>                               |  |
|                            | - ActiveX API                                                                                |  |
|                            | <ul> <li>Since Open eVision 2.4.1, discontinued support of:</li> </ul>                       |  |
|                            | <ul> <li>Embarcadero RAD Studio XE4 and XE5 (C++, Object Pascal, 32 bits only)</li> </ul>    |  |
| Ordering Information       |                                                                                              |  |
| Product code - Description | 4009 - EasyGauge for USB dongle                                                              |  |
|                            | • 4059 - EasyGauge for PAR dongle                                                            |  |
|                            | • 4109 - EasyGauge for board licensing                                                       |  |
|                            | • 4159 - Open EasyGauge for USB dongle                                                       |  |
|                            | • 4209 - Open EasyGauge for PAR dongle                                                       |  |
|                            |                                                                                              |  |

4259 - Open EasyGauge for soft-based licensing6512 - eVision/Open eVision USB Dongle (empty)

• 6513 - eVision/Open eVision Parallel Dongle (empty)

Optional accessories



#### **EMEA**

#### **Euresys SA**

Liège Science Park - Rue du Bois Saint-Jean, 20

4102 Seraing - Belgium

Phone: +32 4 367 72 88

Email: sales.europe@euresys.com

#### **EMEA**

#### **Sensor to Image GmbH**

Lechtorstrasse 20 -

86956 Schongau - Germany Phone: +49 8861 2369 0

Email: sales.europe@euresys.com

#### **AMERICA**

#### **Euresys Inc.**

27126-B Paseo Espada - Suite 704

San Juan Capistrano, CA 92675 - United States

Phone: +1 949 743 0612

Email: sales.americas@euresys.com

#### **ASIA**

#### **Euresys Pte. Ltd.**

750A Chai Chee Road - #07-15 Viva Business Park

Singapore 469001 - Singapore

Phone: +65 6445 4800

Email: sales.asia@euresys.com

#### **CHINA**

#### **Euresys Shanghai Liaison Office**

Unit 802, Tower B, Greenland The Center - No.500 Yunjin Road, Xuhui District

200232 Shanghai - China

Euresys上海联络处

上海市徐汇区云锦路500号绿地汇中心B座802室

### 200232

Phone: +86 21 33686220

Email: sales.china@euresys.com

# **JAPAN**

#### Euresys Japan K.K.

Expert Office Shinyokohama - Nisso Dai 18 Building, Shinyokohama 3-7-18, Kohoku Yokohama 222-0033 - Japan

〒222-0033

神奈川県横浜市港北区新横浜3-7-18 日総第18ビル エキスパートオフィス新横浜

Phone: +81 45 594 7259

Email: sales.japan@euresys.com

More at www.euresys.com

