


EasyOCR2

Industrial optical character recognition library



At a Glance

- Optimized for reading short texts such as part numbers, serial numbers, expiry dates, manufacturing dates, lot codes, ...
- Innovative segmentation algorithm to automatically locate texts in the image based on expected character size and text topology
- Full support for text rotation (360 degrees)
- Able to read severely degraded characters: support for character fragmentation and uneven lighting
- Learning of character database from one or multiple TrueType Font (ttf) file(s)
- Assisted learning of character database from sample images
- Character database management: adding characters; saving, loading database

Benefits

Open eVision Studio: Evaluation, prototyping and development tool

Open eVision Studio is the evaluation, prototyping and development tool of Open eVision. Its intuitive graphical user interface allows you to call and immediately see the result of any of eVision's 2D image processing functions. A scripting functionality generates the corresponding code, which can then be copied and pasted into your application.

Open eVision Studio is free (when using Open eVision 2.0 and above) and does not require any license.

Just click on [DOWNLOAD OPEN EVISION STUDIO](#) and install Open eVision. Sample images, manuals and sample programs are included.

EasyOCR2 Description

EasyOCR2 is a font-dependent printed character reader. It has been designed to read short texts such as part numbers, serial numbers, expiry dates, manufacturing dates, lot codes, ... printed on labels or directly on parts.

Segmentation

EasyOCR2 uses an advanced novel algorithm to locate the texts to read in the image. The topology of the text to detect (number of lines, words and characters) can be freely set by the user.

Character type specification

The character type (letter, digit, symbol, ...) of each character can be specified to improve the recognition speed and rate.

Full support for text rotation (360 degrees)

Assisted learning

When learning from sample images, an interactive tool available in Open eVision Studio is used to identify samples of each character, allow the library to learn them and save the resulting font file.

Support for TrueType Font (ttf) files

EasyOCR2 requires training the font to be recognized. This can be done either from sample images or from standard .ttf (True Type Font) files. This makes the recognition flexible, fast and reliable.

Neo, a New, Flexible Licensing System

- Neo is the new Licensing System of Euresys. It is reliable, state-of-the-art, and is available now under Windows.
- Neo allows you to choose where to activate your license, either on a Neo Dongle or in a Neo Software Container. You buy a license, you decide later.
- Neo Dongles offer a sturdy hardware and provide the flexibility to be transferred from a PC to another.
- Neo Software Containers do not need any dedicated hardware, and instead are linked to the PC on which they have been activated.
- Neo ships with its own, dedicated, Neo License Manager, which comes in two flavours: An intuitive, easy to use, Graphical User Interface and a Command Line Interface that allows for easy automation of Neo licensing procedures.

Applications

Machine Vision for the General Manufacturing Industries

- Product identification for traceability

Machine Vision for the Printing Industry

- Label and packaging inspection: Inspection of the quality of the printing of characters and codes

Specifications

Software

Host PC Operating System

- Open eVision is a set of 32-bit and 64-bit libraries that require a processor compatible with the SSE2 instruction set.
 - Deep Learning Bundle is only available in the 64-bit Open eVision library.
 - Open eVision can be used on the following operating systems:
 - Windows 10 (32- and 64-bits)
 - Windows 8 (32- and 64-bits)
 - Windows 7 (32- and 64-bits)
 - Since Open eVision 2.6, discontinued support of:
 - Windows Vista 32-bits Service Pack 1
 - Windows XP 32-bits Service Pack 3
 - Windows Embedded Standard 2009 32-bits
 - The Open eVision installer does not allow installation on virtual machines.
 - Minimum requirements:
 - RAM: 8 GB
 - Display size: 800 x 600. 1280 x 1024 recommended.
 - Color depth: 16 bits. 32 bits recommended.
 - Between 100 MB and 2 GB free hard disk space for libraries, depending on selected options.
-

APIs

- Supported Integrated Development Environments and Programming Languages:
 - Microsoft Visual Studio 2008® SP1 (C++, C#, VB .NET, C++/CLI)
 - Microsoft Visual Studio 2010® (C++, C#, VB .NET, C++/CLI)
 - Microsoft Visual Studio 2012® (C++, C#, VB .NET, C++/CLI)
 - Microsoft Visual Studio 2013® (C++, C#, VB .NET, C++/CLI)
 - Microsoft Visual Studio 2015® (C++, C#, VB .NET, C++/CLI)
 - Microsoft Visual Studio 2017® (C++, C#, VB .NET, C++/CLI)
- Since Open eVision 2.5.1, discontinued support of:
 - Borland C++ Builder 6.0 update 4 (C++)
 - CodeGear Delphi 2009 (Object Pascal)
 - CodeGear C++ Builder 2009 (C++)
 - Microsoft Visual Studio 6.0 SP6 (C++, Basic)
 - ActiveX API
- Since Open eVision 2.4.1, discontinued support of:
 - Embarcadero RAD Studio XE4 and XE5 (C++, Object Pascal, 32 bits only)

Ordering Information

Product code - Description

- 4179 - Open EasyOCR2 for USB dongle
- 4229 - Open EasyOCR2 for PAR dongle
- 4279 - Open EasyOCR2 for soft-based licensing
- 4329 - Open eVision EasyOCR2

Optional accessories

- 6512 - eVision/Open eVision USB Dongle (empty)
 - 6513 - eVision/Open eVision Parallel Dongle (empty)
 - 6514 - Neo USB Dongle (empty)
-



EMEA

Euresys SA

Liège Science Park - Rue du Bois Saint-Jean, 20
4102 Seraing - Belgium

Phone: +32 4 367 72 88
Email: sales.europe@euresys.com

EMEA

Sensor to Image GmbH

Lechtorstrasse 20 -
86956 Schongau - Germany

Phone: +49 8861 2369 0
Email: sales.europe@euresys.com

AMERICA

Euresys Inc.

27132-A Paseo Espada - Suite 421
San Juan Capistrano, CA 92675 - United States

Phone: +1 949 743 0612
Email: sales.americas@euresys.com

ASIA

Euresys Pte. Ltd.

750A Chai Chee Road - #07-15 Viva Business Park
Singapore 469001 - Singapore

Phone: +65 6445 4800
Email: sales.asia@euresys.com

CHINA

Euresys Shanghai Liaison Office

Unit 802, Tower B, Greenland The Center - No.500 Yunjin Road, Xuhui District
200232 Shanghai - China

Euresys 上海联络处

上海市徐汇区云锦路500号绿地汇中心B座802室
200232

Phone: +86 21 33686220
Email: sales.china@euresys.com

JAPAN

Euresys Japan K.K.

Expert Office Shinyokohama - Nisso Dai 18 Building, Shinyokohama 3-7-18, Kohoku
Yokohama 222-0033 - Japan

〒222-0033

神奈川県横浜市港北区新横浜3-7-18 日総第18ビル エキスパートオフィス新横浜

Phone: +81 45 594 7259
Email: sales.japan@euresys.com

More at www.euresys.com

